

General Information

Company Name **KHALID FARAJ SHIPPING**
& Address **PO BOX 995, ABU DHABI, U.A.E.**
Flag U.A.E.
Year of Built 2004
Official No. 4968
Call sign A6E 2967
MMSI 470776000
IMO No 9324356
Classification DECK SHIP
Class Notation DECK SHIP (INTERNATIONAL)
Place of Build MALAYSIA
Vessel Contact No. +971-504453229
Head Office No +971 2 6984999
& Fax: +971 2 6659218
Vessel e mail lct.azah@gmail.com
Company E-mail commercial@khalidfarajshipping.com
Company website www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	47.00 Meters	Light Ship Displacement	403.47 TONNES
LBP	42.785 Meters	GRT	456
BEAM Moulded	11.00 Meters	NRT	137
Depth Moulded	3.200 Meters	DWT	558 TONNES
Draft (Summer)	2.4 Meters	Summer Displacement (LOADED)	962.12 TONNES
Air Draft	15.3 METERS	Light Ship Draft	1.31 M

Vessel Performance Particulars

Max Speed	9.0 Knots (Free running)	Fresh Water Consumption	2000 ltrs/Day
Economical Speed	6.0 Knots	Fuel Type	MGO
Fuel Consumption at max speed	65 ltr/ hr	Fuel Consumption at Economical speed	60 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	320 m2	Deck Strength	7 T/M2
Cargo Tank Details	NIL	Maximum Height Of Cargo Allowed	5 Meters
Total Cargo Weight The Vessel Can Carry/DWCC	420 TONNES	No Of Refer Sockets	9 (STBD SIDE)
Cargo Doors/Ramp Doors Details	5.50m X 6.00m/ CAP- 80T	Clean deck dimension, L * B in M	26.5 x 10.40M

Vessel Capacities

Fuel Tanks	112,460 ltrs	Fresh Water Tanks	34,360 ltrs
------------	--------------	-------------------	-------------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	10	No Of Passenger Berths	NIL
-------------------	----	------------------------	-----

Propulsion And Machinery Details

Main Engines	2 X CAT 3408 – 480 BHP	Generator	2 x 91kW Cummins 6BTS
Gear Box	2X TWINS DISC MG 516	Propulsion	Fixed Pitch
Bow Thruster	NA	Emergency Generator	NIL
Gear Box	NA	Ballast Water Treatment system	NA
Sewage Tank	0.9 m3/Day	Sewage Treatment System	ISS-15

Communication And Navigation Equipment

MF/ HF/ VHF	VHF SAMYUNG MARINE STR-6000A ,ICOM IC-M304	NAVTEX	FURUNO NX-500
SSB	FURUNO FS-2570C	Magnetic Compass	DAIKO SP150 PK
Radar	FURUNO FR-1505 MARK -3 SERIES,KODEN MDC-104	AIS	FURUNO FA-100
GPS	FURUNO GP 90, GARMIN GPS19x	Auto Pilot	FURUNO
Echo Sounder	FURUNO FI-700	GYRO COMPASS	SIMRAD GC80
INMARSAT	NIL	ECDIS	NIL

LSA And FFA Equipment

Navigation & Search Light	AVAILABLE	2 x 15 men Inflatable Life Raft	TYPE 10DK + E / CAP – 2X10
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	-

Special Features Details

FiFi pump details	N/A	Spray Boom Details	N/A
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	NIL
Main ballast water management method(s) used on the ship	F/W USED AS B/W	Deepest ballast drafts (Normal & Heavy Weather)	1.50 METER
Total ballast capacity of the ship in cubic meters.	813.34 M3	Identification (rank) of the appointed ballast water management officer	Chief Officer