

General Information

Company Name & Address KHALID FARAJ SHIPPING
PO BOX 995, ABU DHABI, U.A.E.
Flag U.A.E.
Year of Built 2018
Official No. 0008535
Call sign A6E 2214
MMSI 470246000
IMO No 9850252
Classification Bureau Veritas
Class Notation Deck Ship
Place of Build Malaysia
Vessel Contact No. +971-564137902
Head Office No & Fax: +971 2 6984999
+971 2 6659218
Vessel e mail lct.bushra2018@gmail.com
Company E-mail commercial@khalidfarajshipping.com
Company website www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	64.00 Meters	Light Ship	770.162 TONNES
LBP	60,302 Meters	GRT	929 TONNES
BEAM Moulded	14.00 Meters	NRT	278 TONNES
Depth Moulded	3.65 Meters	DWT	1063.069 TONNES
Draft (Summer)	2.70 Meters	Light Ship Displacement	1883.231 TONNES
Air Draft	18 Meters	Light Ship Draft	2.1 Meters

Vessel Performance Particulars

Max Speed	11 Knots (Free running)	Fresh Water Consumption	2 MT / Day
Economical Speed	7.0 Knots	Fuel Type	MARINE DIESEL
Fuel Consumption at max speed	265.3 ltr/ hr	Fuel Consumption at Economical speed	190 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	468 m2	Deck Strength	10 TS/M2
Cargo Tank Details	2 LRFO CAP:78311 IG	Maximum Height Of Cargo Allowed	8 M
Total Cargo Weight The Vessel Can Carry/DWCC	980 TONNES	No Of Refer Sockets	12 NOS
Cargo Doors/Ramp Doors Details	01 RAMP DOOR FWD Length 5.85 M + 1.30 M Foldable X 8.25m breadth	Clean deck dimension, L * B in M	39 * 12 M

Vessel Capacities

Fuel Tanks	397 M3	Fresh Water Tanks	593 M3
------------	--------	-------------------	--------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	12 person	No Of Passenger Berths	-
-------------------	-----------	------------------------	---

Propulsion And Machinery Details

Main Engines	2 x YANMAR 6AYM-WET , 610 KW 1900 RPM	Generator	3 x CUMMINS 6BTS.9-D(M), 91KW@1500r/min
Gear Box	2 x YANMAR YXH 240L RATIO 5.36	Propulsion	Fixed Pitch
Bow Thruster	1 x VOLVO PENTA D9A2L MH 261KW @1800r/min	Emergency Generator	6BTS.9-D(M) 78KW@1500r/min
Gear Box	1 x ZF325-1 RATIO 1.459	Ballast Water Treatment system	
Sewage Tank	200 L/Day	Sewage Treatment System	ISB-02

Communication And Navigation Equipment

MF/ HF/ VHF	FURUNO VHF 8900	NAVTEX	FURUNO NX-700
SSB	FURUNO FS-1575	Magnetic Compass	DAIKO KEIKI SR-150
Radar	FURUNO FAR2117 & FURUNO RADAR 1945	AIS	FURUNO F4-170
GPS	FURUNO GP-150	Auto Pilot	PILOT STAR NX
Echo Sounder	FURUNO FE700	GYRO COMPASS	SIMRAD GC-80
INMARSAT	FURUNO FELCOM18	ECDIS	SIMRAD (2 Nos.)

LSA And FFA Equipment

Navigation & Search Light	AVAILABLE	2 x 15 men Inflatable Life Raft	YES type 16DK +
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	YES type WJ45KR

Special Features Details

FiFi pump details		Spray Boom Details	
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	WJ45KR
Main ballast water management method(s) used on the ship		Deepest ballast drafts (Normal & Heavy Weather)	Normal : 2.61 M Heavy weather : 2.7 M
Total ballast capacity of the ship in cubic meters.	321.1 M3	Identification (rank) of the appointed BWM officer	Chief Officer