

General Information

Company Name & Address	KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.
Flag	U.A.E.
Year of Built	2005
Official No.	5295
Call sign	A6E 3061
MMSI	470900000
IMO No	9357731
Classification	Bureau Veritas
Class Notation	Deck Ship
Place of Build	UAE
Vessel Contact No.	+971-508185324
Head Office No & Fax:	+971 2 6984999 +971 2 6659218
Vessel e mail	lct.dayyinahstar@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	64.00 Meters	Light Ship	588.30 TONNES
LBP	53.95 Meters	GRT	687
BEAM Moulded	12.00 Meters	NRT	206
Depth Moulded	3.50 Meters	DWT	900 TONNES
Draft (Summer)	2.50 Meters	Summer Displacement	594.80 TONNES
Air Draft	18.5 Meters	Light Ship Draft	1.12Meters

Vessel Performance Particulars

Max Speed	10 Knots (Free running)	Fresh Water Consumption	2 MT / Day
Economical Speed	7.5 Knots	Fuel Type	MGO
Fuel Consumption at max speed	140 ltr/ hr	Fuel Consumption at Economical speed	95 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	320 m ²	Deck Strength	7 T/M ²
Cargo Tank Details	NIL	Maximum Height Of Cargo Allowed	4.0 Meters
Total Cargo Weight The Vessel Can Carry/DWCC	847 MT	No Of Refer Sockets	NIL
Cargo Doors/Ramp Doors Details	7.00 m X 6.27 m	Clean deck dimension, L * B in M	31.30 m x 10.20 m

Vessel Capacities

Fuel Tanks	582.47 m ³	Fresh Water Tanks	256.07 m ³
------------	-----------------------	-------------------	-----------------------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	15	No Of Passenger Berths	NIL
-------------------	----	------------------------	-----

Propulsion And Machinery Details

Main Engines	2 x Caterpillar 3508 , 905 BHP	Generator	2 x 85 KW Caterpillar 3056T
Gear Box	2X REINTJES type WAF 542.	Propulsion	2 X Fixed Pitch IVECO
Bow Thruster	N/A	Emergency Generator	8035M06/61787,30KVA
Gear Box	N/A	Ballast Water Treatment system	Using F.W for ballast
Sewage Tank	200 LTR / Day	Sewage Treatment System	ISS-15N

Communication And Navigation Equipment

MF/ HF/ VHF	SAMYUNG STR 6000A	NAVTEX	SAMYUNG , SNX - 300
SSB	SAILOR HC4500B	Magnetic Compass	DAIKO KEIKI SR-150/ GC 80
Radar	KODEN MDC 1810, MONITOR 18"	AIS	JOTRON, TR 8000
GPS	KODEN, KGP-920 & GARMIN	Auto Pilot	NAVITRON, NT888G CU
Echo Sounder	JMC F-3000	GYRO COMPASS	YOKOGAWA, CMZ 700 B
INMARSAT	NIL	ECDIS	NIL

LSA And FFA Equipment

Navigation & Search Light	AVAILABLE	2 x 15 men Inflatable Life Raft	10 DK+ (2X10 PERSONS)
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	SCM 12-3.5R

Special Features Details

FiFi pump details	NIL	Spray Boom Details	N/A
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	SCM 12-3.5R
Main ballast water management method(s) used on the ship	FW BALLAST	Deepest ballast drafts (Normal & Heavy Weather)	1.835 METER
Total ballast capacity of the ship in cubic meters.	112.34 m ³	Identification (rank) of the appointed ballast water management officer	Chief Officer