

**General Information**

Company Name & Address	<b>KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.</b>
Flag	U.A.E.
Year of Built	2006
Official No.	5332
Call sign	A6E3069
MMSI	470908000
IMO No	9417804
Classification	Bureau Veritas
Class Notation	Deck ship / UNRESTRICTED NAVIGATION
Place of Build	Malaysia
Vessel Contact No.	+971-567035750
Head Office No & Fax:	+971 2 6984999 +971 2 6659218
Vessel e mail	lct.khawlah@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


**Vessel Built Specs / Principle Dimensions**

LOA, Length Overall	64.00 Meters	Light Ship	626.420 TONNES
LBP	60,302 Meters	GRT	869
BEAM Moulded	14.00 Meters	NRT	260
Depth Moulded	3.65 Meters	DWT	1205.112 TONNES
Draft (Summer)	2.70 Meters	Loaded Displacement	1831.532 TONNES
Air Draft	15.6 Meters	Light Ship Draft	1.162 Meters

**Vessel Performance Particulars**

Max Speed	7 Knots (Free running)	Fresh Water Consumption	2 MT
Economical Speed	6.5 Knots	Fuel Type	MARINE DIESEL
Fuel Consumption at max speed	168 ltr/ hr	Fuel Consumption at Economical speed	126 ltr/hr

**Vessel Cargo Particulars**

Clear Deck Space Area	576 m2	Deck Strength	7 T/M2
Cargo Tank Details	F.O – 08 TANKS, F.W – 02 TANKS	Maximum Height Of Cargo Allowed	02 METERS
Total Cargo Weight The Vessel Can Carry/DWCC	1210.112 TONNES	No Of Refer Sockets	04
Cargo Doors/Ramp Doors Details	7.00m X 8.25m	Clean deck dimension, L * B in M	41 x 12.0
LXB			

**Vessel Capacities**

Fuel Tanks	375 M3	Fresh Water Tanks	600 M3
------------	--------	-------------------	--------

**Accommodation Details (Centrally Air Conditioned)**

No Of Crew Berths	<b>12</b>	No Of Passenger Berths	NIL
-------------------	-----------	------------------------	-----

**Propulsion And Machinery Details**

Main Engines	2 x KTA 19-M3, 477kw[640 BHP] @1800rpm, Cummins	Generator	2 x 6BT5.9D(M) , 91Kw[122hp]@1500rpm, Cummins
Gear Box(Type & serial)	2X TWINS DISC MG 5222 DC,3AZ-520(PORTSIDE),3AR-519 STBDSIDE), (250psi)	Propulsion	Fixed Pitch
Bow Thruster	N/A	Emergency Generator (type &serial)	S3.8G6, 605 22085, (65HP@1500rpm)
Gear Box		Ballast Water Treatment system	N/A
Sewage Tank	0.9m <sup>3</sup>	Sewage Treatment System	ISS-15N

**Communication And Navigation Equipment**

MF/ HF/ VHF	FURUNO FM-8800S	NAVTEX	SAMYUNG SNX-300
SSB	FURUNO FS 1570	Magnetic Compass	DAIKO KEIKI/SR-150/6564
Radar	FURUNO FR-2115	AIS	FURUNO FA-150
GPS	FURUNO GP-150	Auto Pilot	SIMRAD AP50
Echo Sounder	FURUNO TYPE FE-700	GYRO COMPASS	SIMRAD GC-80
INMARSAT-C	SAILOR 6018 MESSAGE TERMINAL	ECDIS	SIMRAD E5000 (2 Nos.)

**LSA And FFA Equipment**

Navigation & Search Light	AVAILABLE	2 x 16 men Inflatable Life Raft	VIKING SOLAS TYPE A
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	JIANGYINSHI-BEIHAI SC45KR/2005

**Special Features Details**

Fifi pump details	N/A	Spray Boom Details	N/A
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	SC-45KR/2005
Main ballast water management method(s) used on the ship	N/A	Deepest ballast drafts (Normal & Heavy Weather)	2.647 METER
Total ballast capacity of the ship in cubic meters.	1811.81 M <sup>3</sup> (100%)	Identification (rank) of the appointed ballast water management officer	Chief Officer