

General Information

Company Name & Address	KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.
Flag	U.A.E.
Year of Built	2019
Official No.	0008705
Call sign	A6E2027
MMSI	471154000
IMO No	9878670
Classification	Bureau Veritas
Class Notation	I ✕ HULL · MACH Deck Ship Unrestricted Navigation
Place of Build	Malaysia
Vessel Contact No.	+442038070809
Head Office No & Fax:	+971 2 6984999 & +971 2 6659218
Vessel e mail	Lct.kwater@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	64.00 Meters	Light Ship	778.011 TONNES
LBP	60,302 Meters	GRT	929
BEAM Moulded	14.00 Meters	NRT	278
Depth Moulded	3.65 Meters	DWT	1054.368 TONNES
Draft (Summer)	2.70 Meters	Summer Displacement	1832.379 TONNES
Air Draft	16 Meters	Light Ship Draft	1.359

Vessel Performance Particulars

Max Speed	10 Knots (Free running)	Fresh Water Consumption	2-3 MT
Economical Speed	07 Knots	Fuel Type	MGO
Fuel Consumption at max speed	300 ltr/ hr	Fuel Consumption at Economical speed	150 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	576.86 m2	Deck Strength	7 T/M2
Cargo Tank Details	L/RANGE P/S. 1.FWT P/S 2 FWT P/S	Maximum Height Of Cargo Allowed	5:80M
Total Cargo Weight The Vessel Can Carry/DWCC	1054.011 TONNES	No Of Refer Sockets	10
Cargo Doors/Ramp Doors Details	7.00m X 8.25m (SWL 90T)	Clean deck dimension, L * B in M	41,7M x 12.25M

Vessel Capacities

Fuel Tanks	443 M3	Fresh Water Tanks	667 M3
------------	--------	-------------------	--------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	12	No Of Passenger Berths	NA
-------------------	----	------------------------	----

Propulsion And Machinery Details

Main Engines	2 x YANMAR 6AYM-WET,829PS @ 1900RPM	Generator	3 x 91kW Cummins 6BT5.9D(M) 1500RPM
Gear Box	2Xkankazi YXH240L 5.36:1	Propulsion	Fixed Pitch
Bow Thruster	1 x NAKASHIMA TFN-200S About 3.5 TONS	Emergency Generator	Cummins 91KW 6BT5.9D(M) 1500RPM
Gear Box	ZF 325-1 Ratio 1.459	Ballast Water Treatment system	NA
Sewage Tank	2.73MT	Sewage Treatment System	ISS-15N

Communication And Navigation Equipment

MF/ HF/ VHF	FURUNO FM 8900S	NAVTEX	NX-700 B
SSB	FURUNO FS-2575C	Magnetic Compass	DAIKO SR2-150 PK
Radar	FURUNO FAR 1518	AIS	FURUNO FA-170
GPS	FURUNO GP170	Auto Pilot	ANSCHTUZ PILOT STAR NX
Echo Sounder	FURUNO FE 800	GYRO COMPASS	SIMRAD GC-80
INMARSAT	MINI C FELCOM18	ECDIS	NA

LSA And FFA Equipment

Navigation & Search Light	1000w x 2	2 x 15/16 men Inflatable Life Raft	KHA-15-/16DK
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	SC-45KR C/W 25HP

Special Features Details

FiFi pump details-	EMG 25M ³ /HR	Spray Boom Details	NA
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	WJ45KR
Main ballast water management method(s) used on the ship	FLOW THROUH	Deepest ballast drafts (Normal & Heavy Weather)	F 2.373 M2.492 A 2.611 METER
Total ballast capacity of the ship in cubic meters.	321.1 M3	Identification (rank) of the appointed ballast water management officer	Chief Officer