

General Information

Company Name & Address	KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.
Flag	U.A.E.
Year of Built	2014
Official No.	7331
Call sign	A6E 3100
MMSI	470941000
IMO No	9717802
Classification	Bureau Veritas
Class Notation	
Place of Build	Malaysia
Vessel Contact No.	+971-504453260
Head Office No & Fax:	+971 2 6984999 +971 2 6659218
Vessel e mail	lct.razan30@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	64.00 Meters	Light Ship	723.470 TONNES
LBP	60,302 Meters	GRT	929
BEAM Moulded	14.00 Meters	NRT	278
Depth Moulded	3.65 Meters	DWT	1109.761 TONNES
Draft (Summer)	2.70 Meters	Summer Displacement	723.470 TONNES
Air Draft	18.8 Meters	Light Ship Draft	1.281 Meters

Vessel Performance Particulars

Max Speed	10 Knots (Free running)	Fresh Water Consumption	2 MT
Economical Speed	6 Knots	Fuel Type	MARINE DIESEL
Fuel Consumption at max speed	150 ltr/ hr	Fuel Consumption at Economical speed	80 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	42m x 12m	Deck Strength	7 T/M2
Cargo Tank Details		Maximum Height Of Cargo Allowed	
Total Cargo Weight The Vessel Can Carry/DWCC	1109.761 TONNES	No Of Refer Sockets	10
Cargo Doors/Ramp Doors Details	8.25m x 7.00m	Clean deck dimension, L * B in M	43 m x 13m

Vessel Capacities

Fuel Tanks	397 M3	Fresh Water Tanks	667.60 m3
------------	--------	-------------------	-----------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	11	No Of Passenger Berths	1
-------------------	----	------------------------	---

Propulsion And Machinery Details

Main Engines	2 x Cummins KTA 19-M3, 600 BHP @ 1800 RPM	Generator	3 x 91kW Cummins 6BT5.9D(M)@1500RPM
Gear Box	2X TWINS DISC(MG522DC) 4.59:1	Propulsion	Fixed Pitch propeller 2x Ø1700 /4blades
Bow Thruster	1 x KOMAME TFA-35DHN – driven by Volvo PentaD9A 2J MH 99kW dedicated Engine	Emergency Generator	6BT5.9-(GM)83 83KW@1500r/min
Gear Box	750-2500r/min)0.257KW/r.min) RATIO 15:1 MODEL 300	Ballast Water Treatment system	
Sewage Tank	1.05m3/Day	Sewage Treatment System	IL SEUNG ISS-15 N

Communication And Navigation Equipment

MF/ HF/ VHF	FURUNO FM8900S	NAVTEX	NX-700
SSB	FURUNO FS-2575C	Magnetic Compass	DAIKO KEIKI SEISAKUSYO SR2-150PK
Radar	FURUNO FAR2117	AIS	FURUNO FA-150
GPS	FURUNO GP150	Auto Pilot	ANSCHUTZ AUTOPILOT NP-60
Echo Sounder	FURUNO FE700	GYRO COMPASS	SIMRAD GC80
INMARSAT	FURUNO FELCOM 18	ECDIS	SIMRAD (2 Nos.)

LSA And FFA Equipment

Navigation & Search Light	AVAILABLE	2 x 15 men Inflatable Life Raft	16DK+
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	SC 45 KR

Special Features Details

FiFi pump details	N/A	Spray Boom Details	
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	SC 45 KR
Main ballast water management method(s) used on the ship	Pump	Deepest ballast drafts (Normal & Heavy Weather)	1.85 METER
Total ballast capacity of the ship in cubic meters.	321.10 m3	Identification (rank) of the appointed ballast water management officer	Chief Officer