

General Information

Company Name & Address	KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.
Flag	U.A.E.
Year of Built	2022
Official No.	0008843
Call sign	A6E2922
MMSI	470729
IMO No	9895123
Classification	NKK (Nippon Kaiji Kyokai)
Classification No.	220588
Place of Build	Malaysia
Vessel Contact No.	+971 507584375
Head Office No & Fax:	+971 2 6984999 +971 2 6659218
Vessel e mail	lct.norah@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	47.00 Meters	Light Ship	462.184 TONES
LBP	43,72Meters	GRT	499 TONNES
BEAM Moulded	10.90 Meters	NRT	150 TONNES
Depth Moulded	3.20 Meters	DWT	465.981 TONNES
Draft (Summer)	2.50 Meters	Loaded Displacement	930.841 TONNES

Vessel Performance Particulars

Max Speed	10 Knots (Free running)	Fresh Water Consumption	2 MT
Economical Speed	7 Knots	Fuel Type	MARINE DIESEL
Fuel Consumption at max speed	125 ltr/ hr	Fuel Consumption at Economical speed	90 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	200 M2	Deck Strength	5 T/M2
Cargo Tank Details	: F.O 8 Tank , FW 7 Tank	Maximum Height Of Cargo Allowed	: 5.5 Mtr
Total Cargo Weight The Vessel Can Carry/DWCC :	: 468.657 Tonnes	No Of Refer Sockets	: in progress
Cargo Doors/Ramp Doors Details	: 6.9 M X 7.6 M	Clear deck dimension, L * B in M	25M X 8 M

Vessel Capacities

Fuel Tanks	368 .78 M3	Fresh Water Tanks	380 M3
------------	------------	-------------------	--------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	11	No Of Passenger Berths	1
-------------------	----	------------------------	---

Propulsion And Machinery Details

Main Engines	2 x YANMAR 6AYM-WST 485KW 650BHP	Generator	2 x 91kw Cummins 6BT5.9D(M)
Gear Box	2X TWINS DISC(M1959AL)HB-702-81983(325PSI shell,150PSI Tube TFN-200S – driven by DEUTZ	Propulsion	Fixed Pitch
Bow Thruster	BF6M1013MCP 195 Kw /261 HP dedicated Engine	Emergency Generator	NA
Gear Box	YANMAR YXH 240 L RATIO 4.89 : 489	Ballast Water Treatment system	NA
Sewage Tank	1.26 m3/Day	Sewage Treatment System	ISB-01

Communication And Navigation Equipment

VHF	2XFURUNO FM8900S	NAVTEX	NX-700
SSB	FURUNO FS-2575C	Magnetic Compass	DAIKO KEIKI SEISAKUSYO SR2-150PK
Radar / Arpa	FURUNO rdp-152/FURUNO RCU-128	AIS	Koden KAT-330
GPS	FURUNO GP150	Auto Pilot	SIMRAD AP-70
Echo Sounder	KODEN CVR-010	SATELITE COMPASS	FURUNO SC-702
INMARSAT	FURUNO FELCOM 18	ECDIS	N/A

LSA And FFA Equipment

Navigation & Search Light	AVAILABLE	2 x 15 men Inflatable Life Raft	KHA-15
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	JY40KR

Special Features Details

FiFi pump details	N/A	Spray Boom Details	
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	JY40KR
Main ballast water management method(s) used on the ship	Pump	Deepest ballast drafts (Normal & Heavy Weather)	
Total ballast capacity of the ship in cubic meters.	380 M3	Identification (rank) of the appointed ballast water management officer	Chief Officer