

General Information

Company Name & Address	KHALID FARAJ SHIPPING PO BOX 995, ABU DHABI, U.A.E.
Flag	U.A.E.
Year of Built	2018
Official No.	0008536
Call sign	A6E2713
MMSI	470444000
IMO No	9850264
Classification	Bureau Veritas
Class Notation	Deck Ship
Place of Build	Malaysia
Vessel Contact No.	+971-565447841
Head Office No & Fax:	+971 2 6984999 +971 2 6659218
Vessel e mail	Lct.nagwa1@gmail.com
Company E-mail	commercial@khalidfarajshipping.com
Company website	www.khalidfarajshipping.com


Vessel Built Specs / Principle Dimensions

LOA, Length Overall	64.00 Meters	Light Ship	778.836 TONS
LBP	60.302Meters	GRT	929 TONS
BEAM Moulded	14.00 Meters	NRT	278 TONS
Depth Moulded	3.650Meters	DWT	1054.398 TONNES
Draft (Summer)	2.7 Meters	Summer Displacement	1833.231 TONS
Air Draft	18.4 Meters	Light Ship Draft	1.360 Meters

Vessel Performance Particulars

Max Speed	10 Knots (Free running)	Fresh Water Consumption	2MT
Economical Speed	7 Knots	Fuel Type	M.G.O
Fuel Consumption at max speed	200 ltr/ hr	Fuel Consumption at Economical speed	150 ltr/hr

Vessel Cargo Particulars

Clear Deck Space Area	576.86 M2	Deck Strength	7 T/M2
Cargo Tank Details	As per tank arrangements	Maximum Height Of Cargo Allowed	8.3 meter
Total Cargo Weight The Vessel Can Carry/DWCC	720 TONS	No Of Refer Sockets	16
Cargo Doors/Ramp Doors Details	7M x 8.25 M	Clean deck dimension, L * B in M	40M x 12M

Vessel Capacities

Fuel Tanks	443.8 M3	Fresh Water Tanks	667.8 M3
------------	----------	-------------------	----------

Accommodation Details (Centrally Air Conditioned)

No Of Crew Berths	12	No Of Passenger Berths	-
-------------------	----	------------------------	---

Propulsion And Machinery Details

Main Engines	2 x YANMAR, 6AYM-WET, 610KW /829PS @1900rpm	Generator	3 x 80kw Cummins 6BT5.9D(M)
Gear Box	YANMAR YXH 240L	Propulsion	2 x FIXED TYPE FPP
Bow Thruster	1 x NAKASHIMA TFN-200S abt 3.5 tons driven by Volvo Penta 261 kw	Emergency Generator	65 KW Cummins 6BT 5.9-D(M)
Gear Box	ZF 325 - I	Ballast Water Treatment system	
Sewage Tank	2.100 L/DAY MODEL: ISB- 02	Sewage Treatment System	BIOLOGICAL MOVING BED BIFILM REACTOR (CHLORIDE CHEMICAL TABLET)

Communication And Navigation Equipment

MF/ HF/ VHF	2 X FURUNO FM-8900S	NAVTEX	FURUNO NX-700
SSB	FURUNO FS-2575C	Magnetic Compass	DAIKO KEIKI SEISAKUSHO CO.LD
Radar	FURUNO MU-190/1945	AIS	FURUNO FA-170
GPS	FURUNO GP-170	Auto Pilot	PILOTSTAR NX
Echo Sounder	FURUNO FE-700	GYRO COMPASS	SIMRAD GC80
INMARSAT	2 X FURUNO FELCOM18	ECDIS	NIL

LSA And FFA Equipment

Navigation & Search Light	2 x (1000watts)	2 x 16 men Inflatable Life Raft	2 x VIKINGS 16DK+
Fire Fighting as per SOLAS	AVAILABLE	Rescue Boat	1 SET W/ DIESEL ENGINE

Special Features Details

FiFi pump details		Spray Boom Details	
Oil Spill & Recovery Equ't Details	SOPEP BOX	Rescue Boat	1 x WUXI WENJIAO (WJ 45KR)
Main ballast water management method(s) used on the ship	F/W Ballast	Deepest ballast drafts (Normal & Heavy Weather)	2.7 m & 3.0 m
Total ballast capacity of the ship in cubic meters.	321.2 M3	Identification (rank) of the appointed ballast water management officer	Chief Officer